



868MHz

OMNI OUTDOOR ANTENNA

TECHNICAL DATA SHEET

TX868-BLG-55






TX868-BLG-55

NO.	MECHANICAL SPECIFICATIONS	VALUE	COMMENT
01	Part Number	TX868-BLG-55	Omni Outdoor Antenna
02	Material	Fiberglass	
03	Material of Radiator	Copper	
04	Connector Type	N-Male	
05	Antenna Colour	Gray	
06	Overall Length	550mm	OD20mm
07	IP Rating	IP 67	
08	Wind Resistance	60m/s	
09	Weight	200g	±5g
NO.	ELECTRICAL SPECIFICATIONS	VALUE	COMMENT
01	Frequency	868MHz	860~940MHz
02	Antenna Gain	8dBi	
03	Radiation type	Omnidirectional	
04	Polarization	Linear	Vertical
05	Horizontal Beamwidth	360 Deg	
06	Vertical Beamwidth	36 Deg	±3 Deg
07	Nominal Impedance	50Ω	
08	Max Input Power	100W	
09	S.W.R.	≤1.5	
NO.	ENVIRONMENTAL SPECIFICATIONS	VALUE	COMMENT
01	Operation Temperature	-40°C ~ +85°C	
02	Storage Temperature	-40°C ~ +85°C	
03	RoHS Compliant	YES	


MECHANICAL DRAWING




UNIT: mm

ITEM	PART NAME	QUANTITY	MATERIAL / FINISH
a	Connector	1	N-Male
b	Body	1	Copper Tube
c	Shell	1	Fiberglass

S.W.R.



SMITH



DISCLAIMER

In order to provide our users with better service, Chengdu Ziisor Technology Co., Ltd (hereinafter referred to as ziisor) will try to present as detailed and accurate product information as possible in this manual. However, due to the timeliness of the manual content, ziisor shall not absolutely guarantee the unlimited timeliness and applicability of the file. Ziisor has the right to update the manual content without further notice. To get the latest edition information, pls visit the official website of ziisor or contact our customer service staff. Thanks for your trust and support!

About us

Technical support: support@cdebyte.com

Documents and RF Setting download link: www.ebyte.com

Thank you for using Ebyte products! Please contact us with any questions or suggestions: info@cdebyte.com

Fax: 028-64146160 ext. 821

Web: www.ebyte.com

Address: Innovation Center D347, 4# XI-XIN Road, Chengdu, Sichuan, China

 **Chengdu Ebyte Electronic Technology Co., Ltd.**